SUBMIT: COMPLETED APPLICATION, TAX STATEMENT AND FEE TO: **Bayfield County** 

Planning and Zoning Depart. PO Box 58 Washburn, WI 54891 (715) 373-6138

**APPLICATION FOR PERMIT** BAYFIELD COUNTY, WISCONSIN

NOV 23 2020

Permit #: Date: Amount Paid:

Original Application MUST be submitted

Refund:

20-0330 11-30-00 \$175 11-23-20

INSTRUCTIONS: No permits will be issued until all fees are paid. Checks are made payable to: Bayfield County Zoning Department.

DO NOT START CONSTRUCTION  $\underline{\text{UNTIL ALL PERMITS HAVE BEEN ISSUED}}$  TO APPLICANT.

Bayfield Co. Zoning Dept.

FILL OUT IN INK (NO PENCIL)

TYPE OF PERMIT	REQUEST	TED—▶		Control by Control and Control of		CONDITION	AL USE   SPECIA	LUSE B.O.A.	□ OTHE	R 🍿
Owner's Name:  Mailing Address:  City/State/Zip:  Telephone:										
7000 10 algat the 770000 \$1000 ly 10011 (4011 WI 3982)									2974	
Address of Property:  24320 Cranty Hum M  Cell Phone:								one: 200016		
Contractor: Contractor Phone: Plumber:								Plumbe	er Phone:	
Cleary Building Corp 608-845-9700										
Authorized Agent	Authorized Agent: (Person Signing Application of behalf of Owner(s))  Agent Phone:  Agent Mailing Address (include City/State/Zip):  Written									
Jeffrey Mac Donald 715- 404 W. 2Kd St. Authorization Attached										
458 LLD CUMPTON WI 54822 OYES ONO								□ No ·		
PROJECT Legal Description: (Use Tax Statement)  Tax ID#  Recorded Document: (Showing Ownership)								Ownership)		
LOCATION	201013-33316 101X-106									
NW 1/4,	MW 1/4, WW 1/4 Gov't Lot Lot(s) CSM Vol & Page CSM Doc# Lot(s) # Block # Subdivision:									
	//		1/3		107/2 186	ンへ				
Section Z	, Tow	nship _	/3_ N, R	ange <u>6</u> W	Town of:	Lasin		Lot Size	Acre	eage 12
			/1 1 11.1	2006						
				n 300 feet of River, ! of Floodplain?	Stream (incl. Intermittent)  If yescontinue	Distance Struc	cture is from Shorelir	feet Is your Prope		Are Wetlands
X Shoreland _				n 1000 feet of Lake,		Distance Co		Zone?		Present?  Ves
	× 13 F	Toperty	Lanu Witin	ii 1000 leet of Lake,	If yescontinue	Jistance Struc	cture is from Shorelir	L res		<b>∠</b> No
☐ Non-Shoreland	4	. e				500	Ų.	reet		•
Non-Shoreland										
Value at Time						Total # of	W	hat Type of		Type of
of Completion * include		Project		Project Project # of Stories Foundation		bedrooms Sewer/Sa		Sanitary System(s)		Water
donated time								he property <u>or</u>		on
& material						property	Will be	on the property?		property
	New	New Construction		¥ 1-Story	☐ Basement ☐ Municipal/City				☐ City	
	☐ Addi	☐ Addition/Alteration		☐ 1-Story +	☐ Foundation	□ 2	☐ (New) Sanitary Specify Type:			Well
\$ 26/000				Loft						VVCII
27,908	☐ Conv	☐ Conversion		☐ 2-Story 😿 Slab		☐ 3 Sanitary (Exist				
7.5	Relo	☐ Relocate (existing bldg)					Privy (Pit) or	or Uaulted (min 200 gallon)		_
		Run a Business on			Use	□ None		service contract)		
9	Prop	roperty			☐ Year Round		☐ Compost Toile			
						□ None				
Evicting Structu	.ro. /:f - 1-1	tation of the	i and a second		I C. V. Lauratha		VAC -Int.			
Proposed Cons				siness is being applied	Length:	7	Width: 74	Height		1411
Troposcu cons	er a ceroni.	(Overa	ii diriiciisioi	137	Length.		width.	neight	15	7
Proposed U	Jse	1			Proposed Structur	<u>,</u>		Dimensions		Square
										Footage
					ructure on property)			15000	)	
		Residence (i.e. cabin, hunting shack, etc.)					( X	)		
Residential Use			with Loft with a Porch					( X	1	
			with a Porch with (2 <sup>nd</sup> ) Porch					( X	<del></del>	
with (2 <sup>nd</sup> ) Porch with a Deck						( X	<u> </u>			
			with a beck with (2 <sup>nd</sup> ) Deck					( X	<u> </u>	
☐ Commercial Use			with Attached Garage					( X	)	
			Bunkhouse w/ (☐ sanitary, or ☐ sleeping quarters, or ☐ cooking & food prep facilities)					( x	1	-
			Mobile Home (manufactured date)					( X	<del></del>	
☐ Municipal Use			Addition/Alteration (explain)					( X	<u>'</u>	
								( X	<u>'</u>	
			Accessory Building (explain) Accessory Building Addition/Alteration (explain) Pole Building					124 x30	· ·	1000
<u>₽</u>								- / ·		1204
			Special Use: (explain)				( X	)		
			Conditional Use: (explain)				( x	)		
			Other: (explain)				( X	)		

FAILURE TO OBTAIN A PERMIT or STARTING CONSTRUCTION WITHOUT A PERMIT WILL RESULT IN PENALTIES

I (we) declare that this application (including any accompanying information) has been examined by me (us) and to the best of my (our) knowledge and belief it is true, correct and complete. I (we) acknowledge that I (we) am (are) responsible for the detail and accuracy of all information I (we) am (are) providing and that it will be relied upon by Bayfield County in determining whether to issue a permit. I (we) further accept liability which may be a result of Bayfield County relying on this information I (we) am (are) providing in or with this application. I (we) consent to county officials charged with administering county ordinances to have access to the above described property at any reasonable time for the purpose of inspection.

Owner(s):			Date
(If there are Multiple Owners listed on the Deed	d All Owners must	sign or letter(s) of authorization must accompany this application)	

Authorized Agent:

Address to send permit 24320 County

Date

(If you are signing on behalf of the owner(s) a letter of authorization must accompany this application)

**Copy of Tax Statement** If you recently purchased the property send your Recorded Deed

WI59821

ADDI	ICANT - DI FASE COMDI E	TE PLOT PLAN ON REVERSE SIDE	
			,
(2) Show / Indicate: North (N)	Construction on Plot Plan	Fill Out	in Ink – NO PENCIL
	vay and (*) Frontage Road g Structures on your Prope	· · · · · · · · · · · · · · · · · · ·	
(5) Show: (*) Well (\)	N); (*) Septic Tank (ST); (*)	Drain Field (DF): (*) Holding Tank (HT) and	/or (*) <b>Privy</b> (P)
	*) River; (*) Stream/Creek nds; or (*) Slopes over 20%		
	1	(b) tak	
lu l	AFA		Michbo
To all the	LINE		7
		/0	( )
Ev		M.T.	
			(61)
m			(41)
1001)		V(1) 24828 - 17	56130
		(1) 27 NSO [, W ]	
The second second		Tull' iluan	Tar.
- 1 = 1 = 1			1/2 0
" private 12a		- 4 7	
Please complete (1) – (7) above (prior to continui  (8) Setbacks: (measured to the close	THE GOTTON	Changes in plans must be app	proved by the Planning & Zoning Dept
TOTAL CONTRACTOR OF THE PARTY O	THE GOTTON	Changes in plans must be app Description	Setback Measurements
(8) Setbacks: (measured to the close	st point) Setback	Description	Setback Measurements
(8) Setbacks: (measured to the close Description	Setback Measurements		Setback Measurements
(8) Setbacks: (measured to the close  Description  Setback from the Centerline of Platted Road  Setback from the Established Right-of-Way	Setback Measurements  40 94 Feet	Description  Setback from the Lake (ordinary high-wa	Setback Measurements ater mark) F
(8) Setbacks: (measured to the close  Description  Setback from the Centerline of Platted Road  Setback from the Established Right-of-Way  Setback from the North Lot Line	Setback Measurements  40 91 Feet Feet	Description  Setback from the Lake (ordinary high-way Setback from the River, Stream, Creek Setback from the Bank or Bluff	Setback Measurements Iter mark)
(8) Setbacks: (measured to the close  Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line	Setback Measurements  40 94 Feet Feet  90 Feet /000 Feet	Description  Setback from the Lake (ordinary high-way Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland	Setback Measurements  Iter mark)  F
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line	Setback Measurements  40 9	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property	Setback Measurements  Iter mark)  F  - 35  - Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line	Setback Measurements  40 94 Feet Feet  90 Feet /000 Feet	Description  Setback from the Lake (ordinary high-way Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland	Setback Measurements  Iter mark)  F  - 35  - Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line	Setback Measurements  40 9	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property	Setback Measurements  Iter mark)  F  F  Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Drain Field	Setback Measurements  40 94 Feet Feet  90 Feet 1000 Feet 1000 Feet 40 Feet Feet Feet Feet	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain	Setback Measurements  Iter mark)  F  F  Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Composition Setback to Septic Tank or Holding Tank Setback to Drain Field Setback to Privy (Portable, Composting)	Setback Measurements  40 9	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland 20% Slope Area on the property Elevation of Floodplain  Setback to Well	Setback Measurements  Iter mark)  F  Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Drain Field	Setback Measurements  40 94 Feet Feet  90 Feet 100 Feet 1	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland 20% Slope Area on the property Elevation of Floodplain  Setback to Well	Setback Measurements  Iter mark)  F  Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Drain Field Setback to Privy (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet Setback to Drain Field Se	Setback Measurements  40 91 Feet Feet  90 Feet 100 Feet 1	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which	Setback Measurements  Iter mark)  P  Yes  No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Privy (Portable, Composting)  Prior to the placement or construction of a structure within ten (10) feet- other previously surveyed corner or marked by a licensed surveyor at the	Setback Measurements  40 91 Feet Feet  90 Feet 100 Feet 1	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which	Setback Measurements  Iter mark)  F  Yes No
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback from the John Field Setback to Drain Field Setback to Privy (Portable, Composting)  Prior to the placement or construction of a structure within ten (10) feet other previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the owner's expense.	Setback Measurements  40 94 Feet Feet  90 Feet 1000 Feet	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which a of a corrected compass from a known corner within 500 feet	Setback Measurements  The mark)  Fig.  Yes No.  No.  No.  No.  The setback must be measured must be visible from of the proposed site of the structure, or must be
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Drain Field Setback to Privy (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet Souther previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the owner's expense.  (9) Stake or Mark Proposed Location	Setback Measurements  40 94 Feet Feet  90 Feet 166 Feet 40 Feet Feet Feet Feet Feet Feet Feet Feet	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland 20% Slope Area on the property Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which the of a corrected compass from a known corner within 500 feet septic Tank (ST), Drain field (DF), Holding Tank	Setback Measurements  Iter mark)  F  Yes  No  It be visible from one previously surveyed corner to the setback must be measured must be visible from of the proposed site of the structure, or must be lik (HT), Privy (P), and Well (W).
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Privy (Portable, Composting)  Prior to the placement or construction of a structure within ten (10) feet other previously surveyed corner to the other previously surveyed at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the owner's expense.  (9) Stake or Mark Proposed Location NOTICE: All Land Use Pe	Setback Measurements  40 94 Feet Feet Feet  1000 Feet 160	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which a of a corrected compass from a known corner within 500 feet septic Tank (ST), Drain field (DF), Holding Tank the Date of Issuance if Construction or Use has not the Date of Issuance if Construction o	Setback Measurements  Iter mark)  F  Yes  No  Yes  No  It be visible from one previously surveyed corner to the setback must be measured must be visible from of the proposed site of the structure, or must be lik (HT), Privy (P), and Well (W).
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Septic Tank or Holding Tank Setback to Drain Field Setback to Privy (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet Souther previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the owner's expense.  (9) Stake or Mark Proposed Location NOTICE: All Land Use Perfor the Construction of New One	Setback Measurements  40 94 Feet Feet Feet  90 Feet 166 Feet 40 Feet Feet Feet 166 Feet Feet Feet Feet Feet Feet Fowner's expense.  feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from the feet but less than thirty (30) feet from or verifiable by the Department by use the feet but less than thirty (30) feet from the feet but less than the feet but les	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland 20% Slope Area on the property Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which the of a corrected compass from a known corner within 500 feet septic Tank (ST), Drain field (DF), Holding Tank the Date of Issuance if Construction or Use has not Municipalities Are Required To Enforce The Uniform	Setback Measurements  Iter mark)  F  F  Yes  No  F  It be visible from one previously surveyed corner to the setback must be measured must be visible from of the proposed site of the structure, or must be likk (HT), Privy (P), and Well (W).
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback from the Prior (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet other previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) fone previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the Other previously surveyed corner, marked by a licensed surveyor at the owner's expense.  (9) Stake or Mark Proposed Location  NOTICE: All Land Use Peror the location of New One The Locatio	Setback Measurements  40 91 Feet Feet Feet  90 Feet 100 F	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which e of a corrected compass from a known corner within 500 feet set to the property of the Date of Issuance if Construction or Use has not when the Date of Issuance if Cons	Setback Measurements  The mark)  Fig.  The setback must be measured must be visible from of the proposed site of the structure, or must be setback must be measured must be massed must be setback must be measured must be setback must be measured must be visible from of the proposed site of the structure, or must be set because of the structure, or must be set begun.  The setback must be measured must be visible from of the proposed site of the structure, or must be set begun.  The setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be visible from one previously surveyed corner to the setback must be measured must be measured must be setback must be measured must
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Drain Field Setback to Privy (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet other previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the Orner of the Orner of Nortice: All Land Use Per For the Construction Of New One The Location of New Orner of	Setback Measurements  40 91 Feet Feet Feet  1000 Feet 10	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which as of a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 f	Setback Measurements  The mark of the visible from one previously surveyed corner to the setback must be measured must be visible from of the proposed site of the structure, or must be setback must be measured must be visible from of the proposed site of the structure, or must be set associated with open water can be difficult associated with open water can be difficult associated with open water can be difficult associated with open water can be difficult.
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback from the Jordan Field Setback to Drain Field Setback to Privy (Portable, Composting)  Prior to the placement or construction of a structure within ten (10) feetback to Privy (Portable, Composting)  Prior to the placement or construction of a structure more than ten (10) for to the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure more than ten (10) for the placement or construction of a structure	Setback Measurements  Get Feet  Get Feet  Get Feet  Get Feet  For New Construction, Seemits Expire One (1) Year from the action of construction near or concerning construction near or fincation of construction that viortment of natural resources services	Description  Setback from the Lake (ordinary high-way Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which e of a corrected compass from a known corner within 500 feet the Date of Issuance if Construction or Use has not Municipalities Are Required To Enforce The Uniform rederal agencies may also require permits.  on wetlands, lakes, and streams. Wetlands that are not lates the law or other penalties or costs. For more lice center (715) 685-2900.	Setback Measurements  The setback must be visible from one previously surveyed corner to the setback must be measured must be visible from of the proposed site of the structure, or must be lak (HT), Privy (P), and Well (W).  To be begun.  The setback must be measured must be visible from of the proposed site of the structure, or must be lak (HT), Privy (P), and Well (W).  To be begun.  The setback must be measured must be visible from of the proposed site of the structure, or must be lak (HT), Privy (P), and Well (W).  The setback must be measured must be visible from of the proposed site of the structure, or must be laked to the setback must be visible from of the proposed site of the structure, or must be laked to the setback must be visible from one previously surveyed corner to the setback must be visible from one previously surveyed corner to the setback must be visible from one previously surveyed corner to the setback must be visible from of the proposed site of the structure, or must be laked to the setback must be visible from of the proposed site of the structure, or must be laked to the structure, or must be
Description  Setback from the Centerline of Platted Road Setback from the Established Right-of-Way  Setback from the North Lot Line Setback from the South Lot Line Setback from the West Lot Line Setback from the East Lot Line Setback from the East Lot Line Setback to Drain Field Setback to Privy (Portable, Composting) Prior to the placement or construction of a structure within ten (10) feet other previously surveyed corner or marked by a licensed surveyor at the Prior to the placement or construction of a structure more than ten (10) one previously surveyed corner to the other previously surveyed corner, marked by a licensed surveyor at the Orner of the Orner of Nortice: All Land Use Per For the Construction Of New One The Location of New Orner of	Setback Measurements  40 91 Feet Feet Feet  1000 Feet 10	Description  Setback from the Lake (ordinary high-was Setback from the River, Stream, Creek Setback from the Bank or Bluff  Setback from Wetland  20% Slope Area on the property  Elevation of Floodplain  Setback to Well  boundary line from which the setback must be measured must the minimum required setback, the boundary line from which as of a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 feet set to be a corrected compass from a known corner within 500 f	Measurements  Inter mark)  Fig.  Fig.  Yes No  Yes No  The setback must be measured must be visible from of the proposed site of the structure, or must be lik (HT), Privy (P), and Well (W).  The setback must be measured must be visible from of the proposed site of the structure, or must be lik (HT), Privy (P), and Well (W).  The setback must be measured must be visible from of the proposed site of the structure, or must be lik (HT), Privy (P), and Well (W).  The setback must be measured must be visible from of the proposed site of the structure, or must be liked.

Issuance Information (County Use Only)	Sanitary Number:		# of bedrooms:	Sanitary Date:			
Permit Denied (Date):	Reason for Denial:						
Permit #: 20-0330	Permit Date: //- 30	0-20					
Is Parcel a Sub-Standard Lot Is Parcel in Common Ownership Is Structure Non-Conforming    Yes   (Deed of Record   Yes   (Fused/Contiguo)   Yes   (Fused/Contiguo)   Yes   (Deed of Record   Yes   (Dee	ous Lot(s)) 🗹 No	Mitigation Required Mitigation Attached	☐ Yes ☐ No ☐ Yes ☐ No	Affidavit Required			
Granted by Variance (B.O.A.)  ☐ Yes → No Case #:		Previously Granted by Variance (B.O.A.)  ☐ Yes ☐ No Case #:					
		Were Property Line	es Represented by Owner Was Property Surveyed	Yes   No   No			
Inspection Record:		1		Zoning District ( R-/ ) Lakes Classification ( )			
Date of Inspection: 11/2 1/12	Inspected by:	1		Date of Re-Inspection:			
Condition(s): Town, Committee or Board Conditions Attached? \( \text{Yes} \) No - (If No they need to be attached.)  Not for Haman Habitalion a sleeping  If Pressur sed Ho enters structure-get septic permits							
Signature of Inspector:				Date of Approval: 1//24/2			
Hold For Sanitary: 🗆 Hold For TBA: 🗆	Hold For Affic	davit: 🗌	Hold For Fees:				

## Village, State or Federal May Also Be Required

SANITARY –
SIGN –
SPECIAL –
CONDITIONAL –
BOA –

## BAYFIELD COUNTY PERMIT

WEATHERIZE AND POST THIS PERMIT ON THE PREMISES DURING CONSTUCTION

20-0330 **Todd Trauba** No. Issued To: Location: Namakagon 24 Township Range W.  $\frac{1}{4}$  of Section Town of CSM# 1052 Gov't Lot Subdivision Lot Block

For: Residential Accessory Structure: [ 1- Story; Pole Building (24' x 30') = 720 sq. ft. ]

(Disclaimer): Any future expansions or development would require additional permitting.

## Condition(s): Not for human habitation or sleeping. If pressurized water enters structure, get septic permits.

You are responsible for complying with state and federal laws concerning construction near or on wetlands, lakes, and streams. Wetlands that are not associated with open water can be difficult to identify. Failure to comply may result in removal or modification of construction that violates the law or other penalties or costs. For more information, visit the department of natural resources wetlands identification web page or contact a department of natural resources service center (715) 685-2900.

**NOTE:** This permit expires one year from date of issuance if the authorized construction work or work or land use has not begun.

Changes in plans or specifications shall not be made without obtaining approval. This permit may be void or revoked if any of the application information is found to have been misrepresented, erroneous, or incomplete.

This permit may be void or revoked if any performance conditions are not completed

or if any prohibitory conditions are violated.

## **Tracy Pooler**

Authorized Issuing Official

**November 30, 2020** 

Date